

PENNSYLVANIA SAW CORPORATION
810 Broad Street Newark, N. J.

Factory - York, Penna., U. S. A.

CATALOGUE No. 16

FAMOUS **"TRIPLE TEST"** STEEL
PENNSYLVANIA SAW CORPORATION

SAWS AND FINE TOOLS

Made in various grades of High Chrome Vanadium Alloys
and Tool Steels for both the Mechanic requiring
fast cutting, Finely Balanced Saws and also
for General Household Use. To best
serve these purposes the

PENNSYLVANIA SAW CORPORATION

MANUFACTURE BOTH



**PRECISION TAPER GROUND SAWS
AND
FLAT GROUND SAWS**

Made in various grades of fineness of Steels and Workmanship.
A Saw for every purpose. Branded with the name of the

PENNSYLVANIA SAW CORPORATION

Insures to the user a Saw of Outstanding
Quality and Long Life



ALL SHIPMENTS F. O. B. CARS, YORK, PENNA.




FACTORY
YORK PENNA., U.S.A.

FAMOUS TRIPLE TEST STEEL

"PENN STATE" SAWS




A MASTERPIECE IN DESIGN
AND CONSTRUCTION
SPECIAL "FINGER GRIP" HANDLE
PATENT APPLIED FOR




A-1 Straight Back
AA-1 Skew Back
(CHROME NICKEL ALLOY STEEL)




A-2 Straight Back
AA-2 Skew Back
[CHROME VANADIUM STEEL]



A-3 Straight Back
AA-3 Skew Back
[CHROME ALLOY STEEL]



A-4 Straight Back
AA-4 Skew Back
[HIGH SPEED STEEL]



A-5 Straight Back
AA-5 Skew Back
[HIGH SPEED STEEL]



FAMOUS **TRIPLE TEST** STEEL "PENN STATE" SAWS



Perfection in **ALLOY** and **HIGH SPEED STEELS** found only in "PENN STATE" famous "TRIPLE TEST" saws. All "PENN STATE" saws are **FULL 4-GAUGE TAPER GROUND** with expert precision. Highly polished with ribbon edge. Handles hand rubbed and finished. Chromium plated screws. Teeth **BEVEL FILED** to diamond point. Perfectly balanced.

A-1 (Straight Back)

AA-1 (Skew Back)

Finest **CHROME NICKEL STEEL ALLOY** blade; full precision **FULL 4-GAUGE TAPER GROUND**; bevel filed; **SPECIAL FINGER-GRIP** handle of extra size with hand rubbed mahogany finish; chromium plated screws. This saw in every detail represents the height of saw perfection.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-1	Straight Back	6, 7, 8, 10		22 inch		21 pounds	1/6 dozen
AA-1	Skew "	6, 7, 8, 10		22 "		21 "	1/6 "
A-1	Straight "	6, 7, 8, 10		24 "		23 "	1/6 "
AA-1	Skew "	6, 7, 8, 10		24 "		23 "	1/6 "
A-1	Straight "	6, 7, 8, 10, 12	5 1/2	26 "		25 "	1/6 "
AA-1	Skew "	6, 7, 8, 10, 12		26 "		25 "	1/6 "

A-2 (Straight Back)

AA-2 (Skew Back)

High quality **CHROME VANADIUM** steel; precision **FULL 4-GAUGE TAPER GROUND**; bevel filed teeth. Handle hand rubbed oak finish. Chromium plated screws. Well balanced and universally approved by mechanics.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-2	Straight Back	10		20 inch		17 pounds	
A-2	" "	7, 8, 10		24 "		23 "	1/6 dozen
A-2	" "	7, 8, 10	5 1/2	26 "		25 "	1/6 "
AA-2	Skew "	8, 10		24 "		23 "	1/6 "
AA-2	" "	8, 10		26 "		25 "	1/6 "

A-3 (Straight Back)

AA-3 (Skew Back)

ALLOY STEEL blade of special analysis making this saw one of lasting value. Popular among skilled mechanics. Bevel filed. Precision **FULL 4-GAUGE TAPER GROUND**. Handle of extra size, mahogany finish. Chromium plated screws.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-3	Straight Back	8, 10		24 inch		23 pounds	1/6 dozen
A-3	" "	8, 10	5 1/2	26 "		25 "	1/6 "
AA-3	Skew "	8, 10		24 "		23 "	1/6 "
AA-3	" "	8, 10		26 "		25 "	1/6 "

A-4 (Straight Back)

AA-4 (Skew Back)

HIGH SPEED steel correctly tempered with a view toward toughness and long life. Well polished blade assembled to superbly finished handle with chromium plated screws. Bevel filed teeth. **FULL 4-GAUGE TAPER GROUND**.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-4	Straight Back	8, 10		20 inch		19 pounds	1/6 dozen
A-4	" "	8, 10		24 "		23 "	1/6 "
A-4	" "	8, 10		26 "		25 "	1/6 "
A-4	" "		5 1/2	24 "		23 "	1/6 "
A-4	" "		5 1/2	26 "		25 "	1/6 "
AA-4	Skew "	8, 10		22 "		21 "	1/6 "
AA-4	" "	8, 10		24 "		23 "	1/6 "
AA-4	" "	8, 10		26 "		25 "	1/6 "

A-5 (Straight Back)

AA-5 (Skew Back)

A sturdily constructed saw with special **HIGH SPEED** steel blade **FULL 4-GAUGE TAPER GROUND** assembled to over size maple finish handle with chromium plated screws. Bevel filed teeth.

No.	Style	Points Cross Cut	Points Rip	Length of Blade	Price Per Dozen	Weight Per Dozen	Packing
A-5	Straight Back	8, 10		20 inch		19 pounds	1/6 dozen
A-5	" "	8, 10		24 "		23 "	1/6 "
A-5	" "	8, 10		26 "		25 "	1/6 "
A-5	" "		5 1/2	24 "		23 "	1/6 "
A-5	" "		5 1/2	26 "		25 "	1/6 "
AA-5	Skew "	8, 10		22 "		21 "	1/6 "
AA-5	" "	8, 10		24 "		23 "	1/6 "
AA-5	" "	8, 10		26 "		25 "	1/6 "


EASY "CUSHION GRIP" HANDLES

EASY "CUSHION GRIP" HANDLES

Thin Back Saws at Popular Prices

For General Use

TAPER GROUND, full two gauge. Teeth bevel filed and set. Well balanced. Superior quality tempered spring steel. First grade hardwood handles; varnish finish. Nickel plated screws and medallion.



"COMMODORE"
(Taper Ground)

No.	Length of blade	Style	Tooth Point Cross Cut	Rip	Weight Per Dozen	Packing	Price Per Dozen
190	24 inch	Skew Back	8, 10		21 pounds	$\frac{1}{2}$ dozen	
	26 inch	Skew Back	8, 10		24 pounds	$\frac{1}{2}$ dozen	
190A	24 inch	Straight Back	8, 10	5½	21 pounds	$\frac{1}{2}$ dozen	
	26 inch	Straight Back	8, 10	5½	23 pounds	$\frac{1}{2}$ dozen	

NOTE: Packed $\frac{1}{2}$ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

"ROYAL CROWN"
(Taper Ground)

No.	Length of blade	Style	Tooth Point Cross Cut	Rip	Weight Per Dozen	Packing	Price Per Dozen
191	24 inch	Skew Back	8, 10		21 pounds	$\frac{1}{2}$ dozen	
	26 inch	Skew Back	8, 10		23 pounds	$\frac{1}{2}$ dozen	
191A	20 inch	Straight Back	8, 10		16 pounds	$\frac{1}{2}$ dozen	
	24 inch	Straight Back	8, 10	5½	21 pounds	$\frac{1}{2}$ dozen	
	26 inch	Straight Back	8, 10	5½	23 pounds	$\frac{1}{2}$ dozen	

NOTE: Packed $\frac{1}{2}$ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.



BIRMINGHAM



Highest quality of the flat ground line of saws. Extra heavy blade for hard work. Used with the coarser teeth for cutting timber and heavier lumber. Also made with fine teeth for general work. Teeth are accurately filed and set.

No.	Style	Length of Blade	Tooth Points Cross Cut	Rip	Weight per Doz.	Packing	Price per Doz.
320	Skew Back	20 inches	8, 10		15 pounds	$\frac{1}{2}$ dozen	
320-A	Straight Back	20 inches	8, 10	5½	15 pounds	$\frac{1}{2}$ dozen	
322	Skew Back	22 inches	8, 10		16 pounds	$\frac{1}{2}$ dozen	
322-A	Straight Back	22 inches	8, 10		16 pounds	$\frac{1}{2}$ dozen	
324	Skew Back	24 inches	8, 10		19 pounds	$\frac{1}{2}$ dozen	
324-A	Straight Back	24 inches	8, 10		19 pounds	$\frac{1}{2}$ dozen	
326	Skew Back	26 inches	8, 10		21 pounds	$\frac{1}{2}$ dozen	
326-A	Straight Back	26 inches	5, 8, 10	5½	21 pounds	$\frac{1}{2}$ dozen	

NOTE: Packed $\frac{1}{2}$ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

SUPERIOR




An unusual saw of outstanding merit. Proper hang for easy cutting and has all the features which have made Pennsylvania Saw Corporation saws popular. Nickel plated screws and medallion. Carved, first quality beech handle with dark cherry finish.

No.	Style	Length of Blade	Tooth Points Cross Cut	Rip	Weight per Doz.	Packing	Price per Doz.
2000	Skew Back	20 inches	8, 10		14 pounds	$\frac{1}{2}$ dozen	
2000-A	Straight Back	20 inches	8, 10		14 pounds	$\frac{1}{2}$ dozen	
2200	Skew Back	22 inches	8, 10		15 pounds	$\frac{1}{2}$ dozen	
2200-A	Straight Back	22 inches	8, 10		15 pounds	$\frac{1}{2}$ dozen	
2400	Skew Back	24 inches	8, 10		18 pounds	$\frac{1}{2}$ dozen	
2400-A	Straight Back	24 inches	8, 10	5½	18 pounds	$\frac{1}{2}$ dozen	
2600	Skew Back	26 inches	8, 10		20 pounds	$\frac{1}{2}$ dozen	
2600-A	Straight Back	26 inches	8, 10	5½	20 pounds	$\frac{1}{2}$ dozen	

NOTE: Packed $\frac{1}{2}$ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

IMPERIAL




An all purpose saw for general workshop use. Perfect balance. The extra quality tempered steel used in this saw gives lasting satisfaction. Nickel plated screws and medallion. Hardwood carved grip handle with light walnut varnish finish.

No.	Style	Length of Blade	Tooth Points Cross Cut	Rip	Weight per Doz.	Packing	Price per Doz.
1020	Skew Back	20 inches	8, 10		15 pounds	$\frac{1}{2}$ dozen	
1020-A	Straight Back	20 inches	8, 10		15 pounds	$\frac{1}{2}$ dozen	
1022	Skew Back	22 inches	8, 10		16 pounds	$\frac{1}{2}$ dozen	
1022-A	Straight Back	22 inches	8, 10		16 pounds	$\frac{1}{2}$ dozen	
1024	Skew Back	24 inches	8, 10		19 pounds	$\frac{1}{2}$ dozen	
1024-A	Straight Back	24 inches	8, 10		19 pounds	$\frac{1}{2}$ dozen	
1026	Skew Back	26 inches	8, 10		21 pounds	$\frac{1}{2}$ dozen	
1026-A	Straight Back	26 inches	8, 10	5½	21 pounds	$\frac{1}{2}$ dozen	

NOTE: Packed $\frac{1}{2}$ dozen in metal corner telescope box and repacked for shipment in uniform corrugated shipping cartons holding 3 dozen saws of one length only.

SUPERIOR

(Steel Striped Blade)



No. 2600-AS

This saw is similar to the SUPERIOR brand shown above except the blade is steel striped on both sides which adds greatly to appearance and eye appeal. Made in 26", straight back design only.

No.	Style	Length of Blade	Tooth Points Cross Cut	Rip	Weight per Doz.	Packing	Price per Doz.
2600-AS	Straight Back	26 inches	8, 10	5½	20 pounds	$\frac{1}{2}$ dozen	

NOTE: Packed $\frac{1}{2}$ dozen in metal corner telescope box

"YORKTOWNE" BRAND HAND SAWS FOR HOME AND BASEMENT WORKSHOP USE

An all purpose saw for general workshop and home use. Perfect balance. The tempered steel used in this saw gives lasting satisfaction. Nickel plated screws and medallion. Hardwood handle with lacquered finish.

SKEW BACK BLADE




No. 216-16"

No. 218-18"



No. 220-20"

No. 222-22"



No. 224-24"

No. 226-26"

STRAIGHT BACK BLADE



No. 216A-16"

No. 218A-18"



No. 220A-20"

No. 222A-22"



No. 224A-24"

No. 226A-26"

YORKTOWNE HAND SAW SPECIFICATIONS

No.	Blade Design	Length of Blade	Tooth Points Cross Cut	Width of Blade		Packing Per Box	Packed Per Shipping Case	Weight Per Dozen
				At Tip	At Butt			
216	Skew Back	16 Inches	8 - 10	1 3/8 Inches	4 1/4 Inches	12 Saws	72 Saws	10 Pounds
216-A	Straight Back	16 Inches	8 - 10	1 3/8 Inches	4 1/4 Inches	12 Saws	72 Saws	10 Pounds
218	Skew Back	18 Inches	7 - 8	1 1/2 Inches	4 1/2 Inches	12 Saws	72 Saws	12 Pounds
218-A	Straight Back	18 Inches	7 - 8	1 1/2 Inches	4 1/2 Inches	12 Saws	72 Saws	12 Pounds
220	Skew Back	20 Inches	7 - 8 - 10	1 1/2 Inches	5 Inches	12 Saws	72 Saws	14 Pounds
220-A	Straight Back	20 Inches	7 - 8 - 10	1 1/2 Inches	5 Inches	12 Saws	72 Saws	14 Pounds
222	Skew Back	22 Inches	7 - 8 - 10	1 3/8 Inches	5 3/8 Inches	6 Saws	36 Saws	15 Pounds
222-A	Straight Back	22 Inches	7 - 8 - 10	1 3/8 Inches	5 3/8 Inches	6 Saws	36 Saws	15 Pounds
224	Skew Back	24 Inches	7 - 8 - 10	1 7/8 Inches	5 3/4 Inches	6 Saws	36 Saws	18 Pounds
224-A	Straight Back	24 Inches	7 - 8 - 10	1 7/8 Inches	5 3/4 Inches	6 Saws	36 Saws	18 Pounds
226	Skew Back	26 Inches	7 - 8 - 10	1 7/8 Inches	5 7/8 Inches	6 Saws	36 Saws	20 Pounds
226-A	Straight Back	26 Inches	7 - 8 - 10	1 7/8 Inches	5 7/8 Inches	6 Saws	36 Saws	20 Pounds

"GREAT STATES" BRAND



No. 500A

PROMOTIONAL 26-INCH HAND SAW

This 26 inch Hand Saw is offered only as a feature SPECIAL SALE promotional number where large quantities are involved. The handle and blade are of good quality but small details of construction have been eliminated to make it possible to produce a satisfactory saw at a price. Packed one dozen saws to a sealed corrugated container. Packed weight per dozen approximately 13 pounds.

HAND SAW MERC


EACH ASSORTMENT INCLUDES HEAVY



No. 150 ASSORTMENT OF (8) EIGHT SAWS POPULAR PRICE QUALITY

No. 150

POPULAR PRICE



No. 150

Assortment contains eight (8) popular priced 26-inch, 8 and 10 point tooth, hand saws; three different grades. For home and workshop use. Blades are best quality hardened and tempered spring saw steel. Engineered for long life cutting edge. Hardwood handles.

Quantity	Cat. No.	Length	Brand
4	500-A	26"	Great States
2	226-A	26"	Yorktowne
2	2600-AS	26"	Superior

WALL BOARD SPACE
Required 14" x 36"

NOTE: No. 2600—As superior brand saw blade is finished with steel striping, very effective.


Saw assortment and Display rack packed together in one shipping carton. Packed weight 15 pounds.

No. 3

ASSORTMENT OF (4) FOUR
TOP GRADE, HIGHEST QUALITY,
"PENN STATE" SAWS

No. 3

ALL BEST QUALITY




HANDISER DISPLAY ASSORTMENTS

WIRE PEGBOARD WALL RACK

No. 4 ASSORTMENT OF (8) EIGHT MIXED TOP and POPULAR PRICE QUALITY SAWS

WALL BOARD
SPACE Required
14" x 36"



No. 3

Assortment Contains (4)
Four 26-inch hand Saws;
All Top Quality; "Penn
State" Grade; each
grade includes one each
8 and 10 point tooth full
taper ground

PENNSYLVANIA SAW
CORPORATION


CAT. NO.

Cat. No.	Length	Tooth Point	Brand
A-1	26"	8 pt.	"PENN STATE"
A-1	26"	10 pt.	"PENN STATE"
A-4	26"	8 pt.	"PENN STATE"
A-4	26"	10 pt.	"PENN STATE"

PACKED TOGETHER IN
ONE SHIPPING CARTON
Packed Weight 10 Pounds

WALL BOARD SPACE
REQUIRED FOR THIS EFFICIENT
DISPLAY 7" x 36"

No. 4
TOP
VALUE
And
MEDIUM
GRADE



No. 4

Assortment contains eight (8),
26-inch hand saws; four (4) dif-
ferent grades; each grade includes
one each 8 and 10 point tooth.

PENNSYLVANIA SAW CORPORATION

CAT. NO.

Cat. No.	Length	Tooth Point	Brand
A-1	26"	8 pt.	"PENN STATE"
A-1	26"	10 pt.	"PENN STATE"
A-4	26"	8 pt.	"PENN STATE"
A-4	26"	10 pt.	"PENN STATE"
2600A	26"	8 pt.	"SUPERIOR"
2600A	26"	10 pt.	"SUPERIOR"
226A	26"	8 pt.	"YORKTOWNE"
226A	26"	10 pt.	"YORKTOWNE"

*Saw Assortment and
Display Rack*

PACKED TOGETHER IN ONE SHIPPING
CARTON
Packed Weight 18 Pounds


PENNSYLVANIA SAW CORPORATION

No. 100 SAW NEST



No. 100 General utility saw set consisting of one 14-inch compass blade, 8-point; one 12-inch panel blade, 10-point and one 16-inch blade with pruning teeth on one edge and 12-point cross cut teeth on opposite edge. Wing nut and bolt construction for tightening blade in adjustable handle. Solid beech handle, varnished. Packed one dozen. Weight per dozen, 11 pounds.

No. 110 SAW NEST




No. 110 is a popular combination of three blades and interchangeable handle. Solid varnished beech handle has wing nut and bolt construction for holding blades. Blades consist of one 16-inch general utility blade with 10-point tooth; one 14-inch compass blade, 8-point and one 12-inch compass blade, 12-point. Packed one dozen. Weight per dozen, 11 pounds.

No. "I" SAW NEST



No. "I" Big value. Five blades, six cutting edges. Closed grip handle with mahogany finish. Nickel plated screws and wing nut. 12-inch mitre or back saw blade; 16-inch utility blade with teeth on both edges; 12-inch and 14-inch compass blades and 14-inch panel blade. Packed one dozen. Weight per dozen, 24 pounds.

No. "H" SAW NEST



No. "H" General utility saw nest. Open handle, natural varnish finish, nickel plated screws and wing nut, five blades, 16-inch double edge utility blade; 12-inch and 14-inch compass saws; 12-inch panel saw and 12-inch mitre back saw. Packed one dozen to corrugated shipping carton. Weight per dozen, 21 pounds.

No. 20 SAW NEST



No. 20 Designed especially for general household use. Consists of one 16-inch panel blade, 10-point; one 16-inch blade with pruning teeth on one edge and fine cross cut teeth on opposite edge and one 14-inch compass blade, 8-point. Closed handle with large hand grip, made of first quality beech, varnished. Adjustable wing nut and bolt construction. Packed one dozen. Weight per dozen, 14 pounds.

No. 50 SAW NEST




No. 50 This nest best fills a demand for workshops, garages and general utility work. Consists of 12-inch mitre or back saw blade with fine 12-point teeth and heavy steel back; 16-inch panel blade, 10-point and 12-inch compass blade, 8-point. Oak finish, carved beech handle with nickel plated wing nut and bolt construction. Packed one set to folding box and repacked in shipping containers of one dozen sets. Weight per dozen, 19 pounds.

No. "L" SAW NEST



No. "L" For general household and workshop use. Five blades. Six cutting edges. A saw for every purpose. Closed handle with carved grip, mahogany finish. 14-inch mitre or back saw; 16-inch panel saw; 16-inch double cutting edge saw; 12-inch and 14-inch compass saw. Packed one set to folding box and repacked in shipping containers of one dozen sets. Weight per dozen, 28 pounds.

No. 49 SAW NEST



No. 49 A popular saw nest for basement workshop and general home use. Four blades and adjustable, varnished beech handle. 16-inch general utility blade with teeth on both edges; 14-inch compass blade, 8-point; 14-inch panel blade, 10-point and 10-inch back or mitre saw, 12-point. Packed one dozen. Weight per dozen, 16 pounds.

Compass Saws



"YORKTOWNE" BRAND
No. 120 No. 140

A good general purpose compass saw with tempered spring steel blade, 8-point tooth. First quality beech handle with natural varnish finish. Made in two lengths.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
120	12 inch	5 pounds	1 dozen	
140	14 inch	6 pounds	1 dozen	



"YORKTOWNE" BRAND
No. 130

Adjustable handle compass saw. Nickel plated bolt and wing nut make easy interchanging of blades. Tempered spring steel blade, 8-point. Solid beech handle with natural varnish finish.


No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
130	12 inch 14 inch	5 pounds 5½ pounds	1 dozen 1 dozen	
BLADES ONLY:				
130-B	12 inch 14 inch	1 pounds 1½ pounds	1 dozen 1 dozen	
HANDLE ONLY:				
H-2		4 pounds	1 dozen	



"IMPERIAL" BRAND
No. 137

Known as NAIL CUTTER saw. 12-point tooth. Carved hardwood handle with bolt and wingnut construction to permit blade renewal.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
137	12 inch 14 inch	5 pounds 5½ pounds	1 dozen 1 dozen	
BLADES ONLY:				
137-B	12 inch 14 inch	1 pounds 1½ pounds	1 dozen 1 dozen	
HANDLE ONLY:				
H-136		4 pounds	1 dozen	



TRIPLE "PENN STATE" TEST
No. 41

TAPER GROUND, thin back blade. Adjustable blade made of our famous "TRIPLE TEST" steel. Blade is slotted and drilled to permit use with either adjustable or non-adjustable handle if desired. 8-point teeth are accurately filed and set. Light oak varnish finish handle with nickel plated screw, bolt and wing-nut.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
41	12 inches 14 inches	6¾ pounds 7 pounds	½ dozen ½ dozen	
BLADES ONLY:				
41-B	12 inches 14 inches	1 pounds 1¼ pounds	1 dozen 1 dozen	
HANDLE ONLY:				
H-138		4 pounds	1 dozen	



"IMPERIAL" BRAND
No. 135

Special hardened and tempered blade, 8-point. Carved hardwood handle, varnished oak finish. Nickel plated screw and medallion.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
135	12 inch 14 inch	4½ pounds 5 pounds	1 dozen 1 dozen	



"IMPERIAL" BRAND
No. 136

Adjustable blade and handle. Full tempered and hardened blade, 8-point. Nickel plated wing nut and bolt holds blade securely. Varnished hardwood handle with carved grip.


No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
136	12 inch 14 inch	5 pounds 5½ pounds	1 dozen 1 dozen	
BLADES ONLY:				
136-B	12 inch 14 inch	1 pounds 1½ pounds	1 dozen 1 dozen	
HANDLE ONLY:				
H-136		4 pounds	1 dozen	



HEAVY DUTY PLUMBER'S COMPASS SAW
No. 138

Extra heavy gauge blade made of special hardened steel, accurately set, 8-point. Built for rough usage. Comfortable oversize handle makes sawing in tight places easy. Natural varnish finish. Wing nut and bolt construction permits quick interchange of blade.

No.	Length of Blade	Weight Per Dozen	Packing	Price Per Dozen
138	12 inch 14 inch	6½ pounds 7 pounds	½ dozen ½ dozen	
BLADES ONLY:				
138-B	12 inch 14 inch	2¼ pounds 2½ pounds	1 dozen 1 dozen	
HANDLE ONLY:				
H-138		4 pounds	1 dozen	



TRIPLE "PENN STATE" TEST
No. 40

TAPER GROUND, thin back blade made of special "TRIPLE TEST" hardened and tempered steel. 8-point. Teeth accurately filed and set. Bright polished nickel plated screw and medallion. Large comfortable handle with light varnish finish.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
40	12 inches 14 inches	6¾ pounds 7 pounds	½ dozen ½ dozen	



KEYHOLE SAW
No. 75

For cutting holes, frets and small openings. Blade first quality steel, 20 gauge, flat ground. 10-point teeth. Hardwood handle with clear lacquer finish.

No.	Length of blade	Weight per Dozen	Packing	Price per dozen
75	10 inch	4½ pounds	½ dozen	

PENNSYLVANIA SAW CORPORATION

Mitre, Back and Dovetail Saws

No. 18 DOVETAIL SAW



A sturdy saw at a low price. Extra thin blade with small teeth. Especially useful for small cabinet work. Steel back for stiffening blade. Round wooden handle with mahogany finish, steel ferrule. Made in two lengths.

No.	Length of Blade	Width Under Back	Width Over All	Weight Per Dozen	Price Per Dozen	Packing
18	8 inches	1 3/8 inches	2 inches	3 pounds		1 dozen
	10 inches	1 3/8 inches	2 inches	3 1/2 pounds		1 dozen

No. 185 DOVETAIL SAW



An indispensable for fine cabinet work, tenoning, dovetailing, etc. Cuts like a knife with no burred edges. Rigid steel back with ribbon thin "TRIPLE TEST" steel blade. Fine teeth 17-points to the inch. Used for dovetailing, tenoning, cabinet work, picture frames and all fine work. Cherry finished handle with heavy brass plated ferrule riveted through handle to steel back to insure against turning or twisting.

No.	Length of Blade	Width Under Back	Width Over All	Weight Per Dozen	Price Per Dozen	Packing
185	10 inches	1 3/8 inches	2 inches	5 1/2 pounds		1/6 dozen
	12 inches	1 3/8 inches	2 inches	6 pounds		1/6 dozen

No. 91 MITRE BOX SAW



First quality mechanics tool. "TRIPLE TEST" steel. Precision built. Teeth bevel filed. Extra heavy back, insuring positive rigidity to blade. Full size, carved handle.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
91	24 inches	4 inches	11	45 pounds	individual	
	26 inches	4 inches	11	46 pounds		
	28 inches	5 inches	11	53 pounds		


No. 78 BACK OR MITRE SAW ("Yorktowne" Brand)



For general use in connection with mitre box and cabinet work. Stiff blade with heavy steel back. Solid beech handle with light maple varnish finish. Nickel plated screws and medallion.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
78	10 inches	3 1/4 inches	12	11 pounds	1/2 dozen	
	12 inches	3 1/4 inches	12	13 pounds	1/2 dozen	
	14 inches	3 1/4 inches	12	15 pounds	1/2 dozen	
	16 inches	3 1/4 inches	12	16 pounds	1/2 dozen	


No. 79 BACK OR MITRE SAW ("Imperial" Brand)



Special steel blade well tempered and supported by steel back. First quality, carved, hardwood handle with light oak varnish finish. Screws and medallion are nickel plated. This saw is especially adaptable for grooving, mortising and general cabinet work.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
79	10 inches	3 1/4 inches	12	12 pounds	1/2 dozen	
	12 inches	3 1/4 inches	12	13 pounds	1/2 dozen	
	14 inches	3 1/4 inches	12	15 pounds	1/2 dozen	
	16 inches	3 1/4 inches	12	17 pounds	1/2 dozen	

No. 80 MITRE BOX SAW




A high grade tool made of special temper "TRIPLE TEST" high speed steel. Good clean cutter. Teeth accurately filed and set. Heavy steel back. Nickel plated screws and medallion. Carved handle made of finest quality beech with rubbed cherry finish.

No.	Length of Blade	Width Under Back	Tooth Point	Weight Per Dozen	Packing	Price Per Dozen
80	14 inches	4 inches	11	23 pounds	1/4 dozen	
	16 inches	4 inches	11	25 pounds	1/4 dozen	
	18 inches	4 inches	11	28 pounds	1/4 dozen	
	20 inches	4 inches	11	30 pounds	1/4 dozen	
	22 inches	4 inches	11	32 pounds	1/4 dozen	

Specialties

BOYS INDUSTRIAL ARTS SAWS

These saws are high quality tools reduced in size to permit use by junior apprentices.




316-A.J.

SCHOOL SHOP HAND SAW

A junior saw featuring all the best qualities of a high grade hand saw but with reduced size handle to fit a boy's hand. Teeth accurately filed and set. Handle has mahogany lacquer finish.

No.	Length of Blade	Tooth Point	Weight Dozen	Packing
316 A.J.	16 inches	11	10 pounds	1 dozen



79 L.S.B.

SCHOOL SHOP BACK SAW

Another junior saw having all the best qualities of a professional mechanics back or mitre saw. Handle reduced in size to fit a boy's hand. Mahogany lacquer finish handle.

No.	Length of Blade	Width Under Back	Tooth Points	Weight Per Dozen	Packing
79 L.S.B.	10 inches	2 3/4 inches	13	11 pounds	1 dozen



No. 70

SCHOOL SHOP COMPASS SAW

A first grade compass saw with small handle to fit boy's hand. The tip end of the blade is rounded and blunt instead of the normal sharp point. Blade is 8 inches in length with 10 point teeth which are accurately filed and set.

No.	Length of Blade	Tooth Points	Weight Per Dozen	Packing
70	8 inches	10	4 pounds	1 dozen



CABLE AND PLUMBER'S SAW No. 93

A valuable time saver for the plumber, electrician or repair man. Tempered steel blade. 15-point teeth on one edge with no set for light metal, conduit, BX cable, etc. Opposite edge is toothed 8 point, for fast wood cutting. First quality beech handle with clear lacquer finish.

No.	Length of Blade	Width at Point	Width at Butt	Weight per Dozen	Packing	Price per Dozen
93	12 inches	2 inches	2 5/8"	12 pounds	1/2 dozen	

No. 180 CABINET SCRAPER

Plain edges, not dressed. Hardened and tempered steel of high quality. Can be used by hand or in scraper planes. Used extensively in home work shops and manual training work.

Size	Weight per Dozen	Packing	Price per Dozen
2 x 4 inches	1 pound	1 dozen	
2 x 5 inches	1 1/4 pounds	1 dozen	
2 1/2 x 4 inches	1 1/2 pounds	1 dozen	
2 1/2 x 5 inches	1 3/4 pounds	1 dozen	
3 x 4 inches	1 1/2 pounds	1 dozen	
3 x 5 inches	2 pounds	1 dozen	
3 x 6 inches	2 pounds	1 dozen	
4 x 5 inches	2 pounds	1 dozen	

No. 181 CABINET SCRAPER

Made of extra fine tempered "PENN STATE" "TRIPLE TEST" steel to insure holding of a keen edge. Precision ground and dressed edges to satisfy the most exacting mechanic.

Size	Weight per Dozen	Packing	Price per Dozen
2 x 4 inches	1 pound	1 dozen	
2 x 5 inches	1 1/4 pounds	1 dozen	
2 1/2 x 4 inches	1 1/4 pounds	1 dozen	
2 1/2 x 5 inches	1 1/2 pounds	1 dozen	
3 x 4 inches	1 1/4 pounds	1 dozen	
3 x 5 inches	2 1/4 pounds	1 dozen	
3 x 6 inches	2 pounds	1 dozen	
4 x 5 inches	2 1/2 pounds	1 dozen	



No. 61

(Chrome)



No. 60

(Chrome)



No. 63


(Nickel)

No. 62

(Nickel)

Wide screw slots. Deeply cut threads. Medallion bears name of Pennsylvania Saw Corporation.

No.	Item	Diameter of head	Finish	Packing	Weight Per gross	Price Per gross
60	Medallion	1 1/8 inch	Chromium	2-dozen	3 pound	
61	Screw	1/8 inch	Chromium	2-dozen	3 pound	
62	Screw	1/8 inch	Nickel	2-dozen	2 pound	
63	Medallion	1 1/8 inch	Nickel	2-dozen	3 pound	



HEAVY DUTY No. 189 WALL SCRAPER

Highest quality tempered spring steel blade. For use by painters and paper hangers. Accurately ground, double bevel edge. Full size hardwood handle, stained lacquer finish.

No.	Length of Blade	Width of Scraping Edge	Weight per Dozen	Packing	Price per Dozen
189	5 inches	3 1/2 inches	5 pounds	1 dozen	

METAL CUTTER

FOR
ELECTRICIANS
CARPENTERS
PLUMBERS
MECHANICS

GLASS HARD
TEETH

CUTS NAILS — METAL LATH — BX CABLE
PIPE — PLASTER BOARD — WALL PLUGS

SAWS AND SEPARATE BLADES

Note: Designed to fit other makes
of metal cutter saw handles.



18 Point Teeth
10 Inch Length

No. 77-BS (Short)



12 Point Teeth
11 Inch Length

No. 77-BM (Medium)



10 Point Teeth
12 Inch Length

No. 77-BL (Long)

BLADES MADE IN THREE LENGTHS
SAME PRICE FOR ALL LENGTHS


Packed one dozen in metal edge, telescope box.

No.	Packing	Weight per Dozen	Price Dozen
77-BS	1 Dozen	1½ Pounds	
77-BM	1 Dozen	1½ Pounds	
77-BL	1 Dozen	1½ Pounds	

BLADES ARE DESIGNED TO FIT HANDLES OF METAL CUTTING
SAWS MADE BY OTHER MANUFACTURERS

BLADES INTERCHANGEABLE IN HANDLE

No. 77-HB



Blade revolves
through 360°

Exclusive Tight Lock Blade
Smooth, Enameled Metal Handle

Packed one half dozen

No.	Length of Blade	Packing	Weight per Dozen	Price Dozen
77-HB	Short only	½ Dozen	11 Pounds	

BLADE NO. 77-BS
18-tooth blade for sawing thin metals, brass or aluminum tubing, metal lath, sheet metal, pipe, etc.

BLADE NO. 77-BM
12-tooth blade for sawing B-X cable, plastics, bones, nails, asbestos shingles, metal lath, plaster, wall plugs, etc.

BLADE NO. 77-BL
10-tooth blade for sawing wood, plaster board, plywood, roofing materials, metals and general use

GLASS HARD TEETH CUTS NAILS - PIPE - BX CABLE - METAL - PLASTICS

BLADE TURNS AND LOCKS IN 8 POSITIONS

METAL CUTTER
FOR... home owners, electricians, steam fitters, plumbers, mechanics

NO. 77-SC
PRICE COMPLETE

MADE ONLY BY PENNSYLVANIA SAW CORP., YORK, PA., U.S.A.
MAKERS OF FAMOUS "PENN STATE" HAND SAWS

No. 77-SC

Complete set consisting of all three different length blades with one blade assembled to handle.
Mounted on brilliantly colored, heavy cardboard — very effective.

No.	Packing	Weight per dozen	Price Dozen
77-SC	1/3 Dozen Sets	17 Pounds	



WOOD AND METAL CUTTING

SABRE




SAW BLADES

FAMOUS "TRIPLE TEST" STEEL

will fit most all popular make machines

- **THREE BLADES** mounted on Cardboard Back and Vacuum Sealed Against Moisture in Special Transparent "Pennstate" (Reg.) Plastic Film.
 - **NO HANDS CAN TOUCH THE BLADES.** Complete freedom from rust.
 - **TEETH SPECIALLY DESIGNED** for FAST CUTTING.
 - **PACKED: 1 Dozen Cards to Carton.** • **WEIGHT: Per Dozen 1/2 Pound.**
- All sabre blades made from high grade alloy steel correctly hardened and tempered.



CARDSET SETS OF ALL WOOD CUTTING BLADES

- No. 74 Three blades assorted tooth points
- No. 748 Three blades all 8 point tooth
- No. 7412 Three blades all 12 point tooth
- No. 7418 Three blades all 18 point tooth

No. 72


EACH CARDED SET INCLUDES BOTH WOOD and NON FERROUS METAL CUTTER BLADES

- **ONE** Each—8 and 12 point wood cutting blades and
- **ONE** Each—32 point metal cutting blade.

No. 73

EACH CARDED SET INCLUDES NON FERROUS METAL CUTTER BLADES ONLY

- **TWO**—32 point.
- **ONE**—24 point.



No. 73M

ALL MOLY HIGH SPEED STEEL METAL CUTTING BLADES FOR CUTTING FERROUS METALS

ABOVE CARDED SETS INCLUDE

- **TWO**—32 point.
- **ONE**—24 point.

WEIGHT: 1/2 POUND PER DOZEN

PACKED: 1 DOZEN CARDS TO CARTON

ASSORTMENT No. 5



WITH 10" x 14" WIRE DISPLAY RACK

for Use on Peg Board or Counter

Capacity: 3 Dozen Carded Sets

- Consists of 36 skin packaged cards each having 3 blades assorted tooth points for wood and non ferrous metal cutting.
- Rack constructed for both counter and peg wallboard display.
- **PACKED WEIGHT: 2 1/2 pounds per assortment.**

ASSORTMENT No. 1



WITH 3 1/2" x 6" WIRE DISPLAY RACK

for Use on Peg Board or Counter

Capacity: 2 Dozen Carded Sets

Consists of Wire Holder and Two Dozen Skin Packaged Carded Sets of Three Wood Cutting Blades Each as Follows:

- Six cards assorted, 8, 12 and 18 point teeth
- Six cards all 8 point teeth, Wood Cutting
- Six cards all 12 point teeth, Wood Cutting
- Six cards all 18 point teeth, Wood Cutting
- **Total weight 1 1/2 pounds**


PENNSYLVANIA SAW CORPORATION



CIRCULAR SAWS

Each blade mounted on cardboard backing and vacuum sealed against moisture in special transparent "Penncote" (reg.) plastic film.

No hands can touch the blade. Complete freedom from rust.



Wire Rack Designed so that it can be hung on Peg Wall Board or Post Hook and has runners for Counter Display Use.

CAPACITY 3-DOZEN BLADES

STOCK ALWAYS VISIBLE

PENNSYLVANIA SAW CORPORATION

810 BROAD STREET — NEWARK, N. J., U. S. A.

WORKS — YORK, PENNA.

ASSORTMENT

No. 310

HEAVY ENAMELED WIRE DISPLAY RACK

Consisting of One Wire Rack
and 13 Assorted Blades as Follows

Size	No. 250	No. 260	No. 270	No. 280	No. 290
6"		1			1
6½"	1	2			1
7"	1	2			
8"		2		1	
9"					
10"		1			

PACKED WEIGHT 12 POUNDS

No. 295-M

MASONRY WHEEL



**FULLY REINFORCED
RESINOID—SILICON CARBIDE**

Will Cut Hard and Soft Masonry Materials—Coping, Concrete, Fire Brick, Fiberglass, Etc.

Universal Bushing Fits Most All Electric Power Saw Machines.

Skin Packaged on Cardboard Backing—Made in 6", 6½", 7" and 8" Diameters.


Packed ½ Dozen of One Diameter to Carton.

Packed Weight Per Dozen as follows:
6"—4 lbs. 6½"—5 lbs. 7"—6 lbs. 8"—7½ lbs.




CIRCULAR SAWS

Each blade mounted on cardboard backing and vacuum sealed against moisture in special transparent "Penncote" (reg.) plastic film.



No hands can touch the blade. Complete freedom from rust.

Both blade and backing remain permanently fresh and clean. Backing is punched for wall-board display.




No. 250 Cross Cut No. 270 Rip No. 260 Standard Combination No. 290 Fine Cross Cut No. 280 Chisel Combination

ALL BLADES MADE IN 6"-6 $\frac{1}{2}$ "-7"-8"-9" and 10" DIAMETERS EXCEPT No. 290 WHICH IS MADE IN 6"-6 $\frac{1}{2}$ "-7" and 8" DIAMETERS ONLY


ALL CENTER HOLES ARE FITTED WITH MULTIPLE ROUND AND DIAMOND BUSHINGS TO PERMIT USE ON VARIOUS TYPES OF MACHINES

The Round Center Bushing is $\frac{1}{2}$ "- $\frac{5}{8}$ " on all Diameter Blades from 6" to 9" inclusive and $\frac{5}{8}$ "- $\frac{3}{4}$ " on 10" Blades. Knock Out Black Diamond Bushing to Fit Skil Machine




No. 250
CROSS CUT TOOTH

For cutting across the grain. Alternately bevel sharpened teeth for fast cutting. Used for sawing all types of wood.



No. 260—STANDARD
COMBINATION TOOTH

Sometimes called two-in-one blade as teeth are designed for both cross cutting (across grain) and ripping (with the grain). Blade has four bevel sharpened cutter teeth to one raker tooth. Ideal for general use.




No. 270
RIP TOOTH

Special designed hook type teeth for rip sawing (with the grain of the board). Runs free of sawdust accumulation. Teeth bevel sharpened.



No. 280—CHISEL
COMBINATION TOOTH

Latest new design tooth for both cross cutting (across the grain) and ripping (with the grain). This is the fastest and smoothest blade of all combination tooth designs. Bevel sharpened teeth. Adaptable for sawing all types of wood.



No. 290
EXTRA FINE TOOTH
CROSS CUT

This fine tooth cut off blade is specially designed to produce minimum amount of tearing when sawing fibre-board, plywood, etc. Best also for sawing plastics and other semi hard materials.

Blade Diameter	Approximate Packed Weight 1/2 Dozen
6"	3 lbs.
6 $\frac{1}{2}$ "	3 $\frac{1}{2}$ lbs.
7"	4 lbs.
8"	5 $\frac{1}{4}$ lbs.
9"	8 lbs.
10"	9 $\frac{1}{4}$ lbs.

PACKED FOR SHIPMENT:

1/2 DOZEN OF ONE DIAMETER AND TOOTH DESIGN TO SHIPPING CARTON.


Number of Teeth
on # 290 Blade

6 Inch	180 Teeth
6 $\frac{1}{2}$ Inch	180 Teeth
7 Inch	200 Teeth
8 Inch	250 Teeth


HIGH QUALITY—''TRIPLE TEST'' STEEL
PRECISION SHARPENED TEETH FOR FAST CUTTING

FAMOUS **TRIPLE TEST** STEEL

PENN STATE TRIPLE TEST STEEL



Butcher Band Saw Blades



WELDED READY FOR USE

THESE ARE **DISPOSABLE** (THROW AWAY) BLADES
OUT LASTS ALL REGULAR BUTCHER BAND SAWS



Packed
1/2 DOZEN
To Carton

GLASS HARD TEETH — FLEXIBLE BACK
Ideal For Cutting Frozen Meats

Packed
1/2 DOZEN
To Carton

Cat. No.	Machine Model		Blade		Cat. No.	Machine Model		Blade	
			Width	Length				Width	Length
780	Biro	No. 11	5/8"	78"	1200 1/2	Do-ALL	MS-15	1/2"	120"
920	Biro	No. 22	5/8"	92"	980	Hobart	5012	5/8"	98"
1160	Biro	No. 33	5/8"	116"	1060	Hobart	5013	5/8"	106"
1180	Biro	No. 34	5/8"	118"	1060	Hobart	5213	5/8"	106"
1350	Biro	No. 44	5/8"	135"	1060	Hobart	5313	5/8"	106"
780	Biro	No. A	5/8"	78"	1120	Hobart	5413	5/8"	112"
920	Biro	No. AA	5/8"	92"					
920	Biro	No. AA-1	5/8"	92"					
1120	Biro	Super BB	5/8"	112"	1175	Vaughan	A, B, D, E	5/8"	117 1/2"
737	Biro	No. H	5/8"	73 3/4"	970	Vaughan	C	5/8"	97"
					1255	Vaughan	F	5/8"	125 1/2"
980	Butcher Boy	B-12	5/8"	98"	1065	Vaughan	G-1, G-15, K	5/8"	106 1/2"
1120	Butcher Boy	B-14	5/8"	112"	975	Vaughan	H	5/8"	97 1/2"
1255	Butcher Boy	B-16	5/8"	125 1/2"	632	Vaughan	L	5/8"	63 1/4"
1040	Butcher Boy	Junior	5/8"	104"	1025	Vaughan	V-12	5/8"	102 1/2"
1175	Butcher Boy	Senior	5/8"	117 1/2"	1140	Vaughan	V-14	5/8"	114"
990	Butcher Boy	Royal	5/8"	99"	1265	Vaughan	V-16	5/8"	126 1/2"
1540 3/4	Butcher Boy	SA-20	3/4"	154"					

MISCELLANEOUS WELDED LENGTHS

Cat. No.	Blade		Cat. No.	Blade		Cat. No.	Blade	
	Width	Length		Width	Length		Width	Length
600	5/8"	60"	930 1/2	1/2"	93"	1080	5/8"	108"
605	5/8"	60 1/2"	950 1/2	1/2"	95"	1100	5/8"	110"
660	5/8"	66"	955 1/2	1/2"	95 1/2"	1115	5/8"	111 1/2"
770	5/8"	77"	960 1/2	1/2"	96"	1130	5/8"	113"
785	5/8"	78 1/2"	960	5/8"	96"	1180 1/2	1/2"	118"
790	5/8"	79"	970 1/2	1/2"	97"	1260	5/8"	126"
840	5/8"	84"	990	5/8"	99"	1290 3/4	3/4"	129"
865	5/8"	86 1/2"	1000	5/8"	100"	1310 3/4	3/4"	131"
897	5/8"	89 3/4"	1010	5/8"	101"	1480 3/4	3/4"	148"
910	5/8"	91"	1020 1/2	1/2"	102"	1490	5/8"	149"
920 1/2	1/2"	92"	1040	5/8"	104"			

ALSO SUPPLIED IN 250 AND 500 FOOT COILS, USE CATALOGUE NO. 96

Butcher and Kitchen Saws




**KITCHEN SAW
No. 95**

A lightweight saw for kitchen and home use. Made in two lengths. Spring steel frame chrome plated. Tempered steel blade permanently riveted to hardwood handles with light varnish finish.

No.	Length of Blade	Weight per Dozen	Packing	Center to Center of Holes
95	14 inches	10 pounds	1/2 dozen	14 1/8 inches
	16 inches	11 pounds	1/2 dozen	16 3/4 inches


The frame of this saw is not chrome plated



**BUTCHER SAW
No. 98**

Sturdy construction with spring temper steel frame 3/4 inch wide, 1/4 inch thick, square edge. Distance from tooth edge of blade to inside of back at center is 4 1/2 inches. Special quick action tightening lever for drawing blade up into taut position. Special spring steel blade 3/4 inch wide. Steel pins permanently fastened in both ends of blade make quick change of blades possible without use of any tools. Natural varnish finish hardwood handle with nickel plated screws. Frames supplied complete with one blade.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
98	18 inches	22 pounds	1/2 dozen	
	20 inches	24 pounds	1/2 dozen	
	22 inches	26 pounds	1/2 dozen	
	24 inches	27 pounds	1/2 dozen	
INDIVIDUAL BLADES ONLY:				
100	18 inches	3/4 pound	1 dozen	
	20 inches	1 pound	1 dozen	
	22 inches	1 pound	1 dozen	
	24 inches	1 pound	1 dozen	




**BUTCHER SAW
No. 99**

An outstanding butcher saw incorporating all the best features. Frame is made of high grade tempered spring steel, chrome plated, 3/4 inch wide, 1/4 inch thick with rounded edges. End of frame well pointed. Distance from tooth edge of blade to inside of back at center is 4 1/2 inches. Frames are notched, making possible a quick interchange of blades. Heavy bolt and wing nut construction permits any desired tension of blade. Streamline hardwood handle with light varnish finish; chrome plated screws. Frames supplied complete with one blade.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
99	18 inches	24 pounds	1/2 dozen	
	20 inches	26 pounds	1/2 dozen	
	22 inches	27 pounds	1/2 dozen	
	24 inches	29 pounds	1/2 dozen	
	26 inches	30 pounds	1/2 dozen	
INDIVIDUAL BLADES ONLY:				
100	18 inches	3/4 pound	1 dozen	
	20 inches	1 pound	1 dozen	
	22 inches	1 pound	1 dozen	
	24 inches	1 pound	1 dozen	
	26 inches	1 pound	1 dozen	

**BUTCHER
BLOCK SCRAPER
(Made in two Sizes)**



A long life scraper that will hold an edge. Made of highest quality tempered spring steel. Do not confuse with cheaper, unhardened steel scrapers. Solid hardwood handle with smooth finish.

No.	Length of Blade	Width of Blade under Handle	Weight per Dozen	Packing	Price per Dozen
182	6 inches	4 inches	6 1/2 pounds	1/2 dozen	
183	7 inches	4 inches	8 pounds	1/2 dozen	



**INDIVIDUAL BUTCHER SAW BLADES
No. 102**

(With end holes punched)

Made in 1/2 inch 5/8 inch and 3/4 inch widths

Finest quality tempered and polished steel. Length of blade measured from hole to hole. Not for use on No. 98 and No. 99 saws.

(When ordering state width of blade wanted)

No.	Length of Blade	Weight per Dozen	Packing	Center to Center of Holes
102	18 inches	3/4 pounds	1 dozen	19 3/8 inches
	20 inches	1 pound	1 dozen	21 3/8 inches
	22 inches	1 pound	1 dozen	23 3/8 inches
	24 inches	1 pound	1 dozen	25 1/8 inches
	26 inches	1 pound	1 dozen	26 1/8 inches



**INDIVIDUAL BUTCHER SAW BLADES
No. 100**

(With End Pins)

Made in 1/2 inch 5/8 inch and 3/4 inch widths

(For use in connection with either No. 98 or No. 99 Butcher saw frames)

Fine quality special tempered spring steel, 11-point tooth. Made with steel pins permanently secured into both ends of the blade. Blades are easily and quickly inserted without the use of tools into butcher saw frames No. 98 and No. 99 shown on this page. Blade length is measured from pin to pin.

(When ordering state width of blade wanted)

No.	Length of Blade	Weight per Dozen	Packing	Center to Center of Pins
100	18 inches	3/4 pounds	1 dozen	19 3/8 inches
	20 inches	1 pound	1 dozen	21 3/8 inches
	22 inches	1 pound	1 dozen	23 3/8 inches
	24 inches	1 pound	1 dozen	25 1/8 inches
	26 inches	1 pound	1 dozen	26 1/8 inches

**BUTCHER SAW BLADES
(in coils)
No. 101**

Made in 1/2 inch 5/8 inch and 3/4 inch widths

Packed in coil lengths of 25 feet. High quality hardened spring steel, 11-point tooth. Packed in single boxes. Weight per coil 1 pound.

Price per coil of 25 feet

1/2"	5/8"	3/4"

(When ordering state width of blade wanted)



PENNSYLVANIA SAW CORPORATION



STRAIGHT DOUBLE CUTTING EDGE PRUNER

Good quality, specially hardened and tempered blade. One edge has sharp cross cut teeth 8 points to the inch for finish stroke and barking; other edge has coarse "Champion" teeth for easy sawing in green wood. Hardwood handle with natural varnish finish. No. 116 has thin pliable blade for light work. No. 118 has heavy stiff blade.

Saw Number	Length of Blade	Weight per Dozen	Price per Dozen	Packing
116	16 inches	9 lbs.		1/2 doz.
118	18 inches	10 lbs.		1/2 doz.



CURVED PRUNING SAW

Highly tempered for general usage. Toothing on both edges. The concave edge has fine needle point teeth, filed and set for fast cutting on pull stroke and other edge 8 point cross cut teeth to cut on either pull or draw stroke. Blade tapers from handle to point. Natural varnish finish hardwood handle with plenty of grip room in hand hole. Nickel plated screws.

Saw Number	Length of Blade	Weight per Dozen	Price per Dozen	Packing
129	18 inches	11 lbs.		1/2 doz.
	20 inches	11 1/2 lbs.		1/2 doz.



FORESTRY PRUNER

Long narrow blade with coarse teeth, five to the inch. Perfectly filed and extra set to prevent binding. Correctly hardened and tempered steel. Form fit grip handle made of first quality hardwood with varnish finish. Nickel plated screws. Can also be used for cutting wall board, plaster board, etc.


Saw Number	Length of Blade	Points per Inch	Width at Butt Inches	Width at Point Inches	Weight per Dozen	Price per Dozen	Packing
126	26 inches	5	3 1/2	1 1/2	15 lbs.		1/2 doz.



CURVED PRUNER

Uniform temper steel blade to insure extra heavy usage. Long needle point teeth, 8 teeth to the inch, perfectly filed and set to cut on the pull stroke. Extra wide set of teeth. Quality hardwood handle with nickel plated screws.

Saw Number	Length of Blade	Length of Handle	Points per Inch	Weight per Dozen	Price per Dozen	Packing
124	12 inches	8	6 1/2	7 lbs.		1/2 doz.
	14 inches	8	6 1/2	8 lbs.		1/2 doz.



FOLDING CURVED PRUNER

This saw is similar to No. 124 shown above except it has folding handle for tooth protection and easy handling when not in use. High quality, varnished handle with nickel plated wing nut and bolt. Needle point teeth filed and set to cut on the pull stroke.


Saw Number	Length of Blade	Length of Handle	Points per Inch	Weight per Dozen	Price per Dozen	Packing
125	12 inches	8 in.	6 1/2	7 lbs.		1/2 doz.
	14 inches	8 in.	6 1/2	7 1/2 lbs.		1/2 doz.



LONG HANDLE PRUNING SAW

Long hardwood handle, perfectly balanced. Extra fine temper blade with long reversed needle teeth accurately filed and set. Cuts on the pull stroke. Nickel plated screws.

Saw Number	Length of Blade	Length of Handle	Overall Length	Points per Inch	Weight per Dozen	Price per Dozen	Packing
132	14 inches	11 in.	25 in.	6 1/2	8 lbs.		1/2 doz.



FOLDING PRUNING SAW

Because of the complete blade protection when folded this saw is one of the most popular numbers. Constructed of fine quality tempered steel with long, slender reverse teeth, filed and set, for pull cut sawing. Varnished hardwood handle.

Saw Number	Length of Blade	Length of Handle	Overall Length Closed	Points per Inch	Weight per Dozen	Price per Dozen	Packing
133	10 inches	12 in.	13 in.	6	7 lbs.		1/2 doz.



CALIFORNIA CURVED PRUNING SAW

This is one of the most popular saws of its type. It has a narrow blade made of finely tempered steel with reverse teeth to permit sawing on the pull stroke. Teeth are accurately filed and set. Solid grip handle made of first quality hardwood.

Saw Number	Length of Blade	Points per Inch	Weight per Dozen	Price per Dozen	Packing
151	12 inches	6 1/2	6 lbs.		1/2 doz.
	14 inches	6 1/2	6 1/2 lbs.		1/2 doz.



CITRUS TREE PRUNER

Specially designed for pruning citrus trees. Narrow blade with reverse rip teeth to cut on pull stroke. Blade tapers from tip to butt. Bevel filed teeth. Well designed hardwood handle fully lacquered. Nickel plated screws.

No.	Length of Blade	Overall Length	Points per Inch	Weight per Dozen	Price per Dozen	Packing
20	12 inches	18 in.	7	6 lb lbs.		1/2 doz.
	14 inches	20 in.	7	6 1/2 lbs		1/2 doz.



"CHAMPION" OR "TUTTLE" TOOTH PRUNER

Strong, rigid construction for heavy duty work. Blade made of our famous PENN STATE, "Triple Test" steel. Extra fine sharp teeth, perfectly filed and set. Skewback. Solid hardwood handle with large grip. Nickel plated screws and medallion. Two cutter and one raker tooth.

Saw Number	Length of Blade	Width at Point Inches	Width at Butt Inches	Weight per Dozen	Price per Dozen	Packing
162	20 inches	1	5	17 lbs.		1/6 doz.
	24 inches	1 1/4	6	19 lbs.		1/6 doz.

P
R
U
N
I
N
G

S
A
W
S

TUBULAR STEEL FRAME PRUNING SAW No. 19



Ruggedly constructed. Fast cutting. Blade has four cutter one raker design teeth. Tension adjustable. Accurately filed. CUSHION GRIP RUBBER HANDLE. Cuts on both push and pull stroke.

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
19	21 inches	14 pounds	1/2 dozen	



POLE TREE PRUNER

Curved blade made of the finest tempered steel. Long slender teeth perfectly filed and exceptionally sharp and pointed for easy cutting. Blade has 10-inch cutting edge mounted on malleable iron hook socket with bolt and wing nut which permits blade to be adjusted to any desired angle. Malleable iron socket is hollow to permit mounting on pole. Can also be used without pole. Poles not supplied. Casting enameled red.

Saw Number	Length of Blade	Overall Length	Points per Inch	Weight per Dozen	Price per Dozen	Packing
165	10 inches	16 in.	6 1/2	12 lbs.		1/6 doz.
	15 inches	21 in.	6 1/2	14 lbs.		1/6 doz.
10-inch BLADES ONLY,				per dozen		
15-inch BLADES ONLY,				per dozen		



No. 335


Jointed—Two Section PRUNER POLE

Consists of two, five foot length, first quality, hard ash poles, glazed weather-proof finish, rounded butt end of lower section with 8 inch connecting sleeve riveted to pole. Includes bolt and wing nut. Lower end of top section drilled to receive bolt and wing nut. Upper end tapered to fit socket of pruner head.

Packed 1/2 doz. sets to carton.
Weight per 1/2 dozen 15 pounds.


No. 330—POLE PRUNING SAW, SAW BLADE, SHEAR, HOOK AND POLE COMPLETE

Meets the rigid tests of professional users. Sturdily constructed. Body casting made of light weight, super strength, annealed, alloy aluminum. One inch hook capacity. Fitted with curved 10-inch pruner blade having sharp, needle point teeth, accurately filed and set, cuts on pull stroke. Two sections of 1 1/4 inch first quality, weatherproofed ash poles, each section five (5) feet in length, fitted with steel connector tubing riveted to lower section. Supplied with ten (10) feet of braided nylon rope. Weight each complete five pounds. Individually packed.



PROFESSIONAL (HEAVY DUTY) TREE PRUNERS

No. 341



Heavy gauge, tempered spring steel with long pull stroke, bevel filed teeth. The teeth are arranged in sets of four with sawdust spacer between each set of teeth. Oversize hardwood handle with hand grip large enough to permit use of gloves.

No.	Length of Blade	Width at Point Inches	Width at Butt Inches	Weight Per Dozen	Packing	Price Per Dozen
341	26 inches	1 1/2	3 1/4	18 lbs.	individual	

No. 342



A heavy duty saw with long needle point teeth. Five teeth to the inch—bevel filed for aggressive action. Cuts on pull stroke. Extra size handle with large hand hole permitting use of gloves. Handle is doweled to prevent breakage. This saw is excellent on heavy duty pruning jobs.

No.	Length of Blade	Width at Point Inches	Width at Butt Inches	Weight Per Dozen	Packing	Price Per Dozen
342	26 inches	1 1/2	3 1/4	18 lbs.	individual	

No. 166—POLE PRUNER SHEAR AND HOOK

"Pat Applied For"

Body casting made of annealed alloy aluminum casting, strong and light in weight. Can be used with or without pole. No pole supplied. Hook will take branches up to one inch capacity. Socket hollow to permit mounting to pole.

Number	Weight Per Dozen	Price Per Dozen	Packing
166	14 pounds		1/6 doz.

No. 167—POLE PRUNING SAW, SHEAR AND HOOK

Complete head with annealed alloy aluminum body casting, 10-inch needle point blade, accurately filed and set, cuts on pull stroke. No pole supplied. Hook will take one inch branch capacity. Socket is hollow to permit mounting to pole. Designed to permit getting into close spacing of branches.


Number	Weight Per Dozen	Price Per Dozen	Packing
167	16 pounds		1/6 doz.

WOOD SAWS AND PARTS

NO. 2-B WOOD SAW BLADE

Champion tooth, straight breast, hardened and tempered, bright polish; teeth set ready for use. To fit No. 2 Wood Saw.


No.	Length of Blade	Width of Blade	Weight Per Dozen	Packing	Price Per Dozen
2-B	30 inches	1 5/8 inches	5 pounds	1/2 dozen	



No. 2 Wood Saw

Especially suitable for general household and farm use. Rigidly constructed. Hardwood frame enameled red with black enamel cross bars. "Champion" type tooth. Large finger grip turnbuckle. Steel parts cadmium plated to prevent rust. Packed K.D. 1/2 dozen to corrugated carton.

No.	Length of Blade	Width of Blade	Weight Per Dozen	Packing	Price Per Dozen
2	30 inches	1 5/8 inches	41 pounds	individual K.D.	
2-B, BLADE ONLY			5 pounds	1/2 dozen	



No. 12 WOOD SAW ROD

Extra heavy, rust proof cadmium plated; large finger grip turn buckle; heavily threaded screws. Can be used with either 30-inch or 32-inch blades.




No.	Length	Weight Per Dozen	Packing	Price Per Dozen
12	22-24 inches	7 pounds	1 dozen	

Fits No. 2 Wood Saw

STEEL TUBULAR FRAME ALL PURPOSE SAW


Used By Professional
Tree Trimmers—Scouts—Campers
General Utility

21-INCH BLADE—Choice of Three Color Frames



No. 19 ENAMEL finish
No. 192 BRASS plated
No. 193 CHROME plated
(Fitted with No. 19-B Blade)

CUSHION
FINGER
GRIP
Rubber
Handle



No. 10 ENAMEL finish
No. 108 BRASS plated
No. 109 CHROME plate
(Fitted with No. 10-B Blade)

Blade hardened and tempered spring steel—razor sharp teeth.

Wing nut and bolt construction permits drawing up blade to any tension desired.

No.	Weight Per Dozen	Packing	Price Per Dozen
19, 10	14 pounds	1/2 dozen	
Blade Only			
19-B	1/2 pound	1 dozen	
10-B	1/2 pound	1 dozen	

No. 19-B blade only

No. 10-B blade only

Blade Width 3/4"



FAST CUTTING, SWEDISH TYPE, ALL PURPOSE, STEEL FRAME





BUCK & PULPWOOD SAWS

CUTS ON BOTH PUSH and PULL STROKE

- Frames Made of Finest Light Weight Tempered Steel Tubing of High Tensile Strength.
- Shipped completely assembled ready for use.
- Bright Enamel Finish.
- Blade Held at Any Tension by Means of Wing Nut and Bolt.
- BLADES EASILY REPLACED.
- **MADE IN 3 SIZES 24", 30", 36". Packed 1½ Doz.**

Thin heat treated blade of highest quality. Specially designed Teeth Accurately Filed and Set.

Nickel Plated End Plug.



PULPWOOD SAWS

No.	Length of Blade	Weight per Dozen	Packing	Price per Dozen
6, 11, 13, 14	24 inches	28 pounds	1½ dozen	
	30 inches	30 pounds	1½ dozen	
	36 inches	33 pounds	1½ dozen	

PULP WOOD SAW BLADES ONLY

Heat treated, "TRIPLE TEST" steel, for fast cutting.

No.	Length of Blade	Weight Per Dozen	Packing	Price Dozen
6-B 11-B	24 inches	1½ pounds	1½ dozen	
	30 inches	1¾ pounds	1½ dozen	
	36 inches	2½ pounds	1½ dozen	

Blade No. 11-B (width ¾ inch)

Blade No. 6-B (width 1 inch)



PENNSYLVANIA SAW CORPORATION

EXTRA HEAVY DUTY SAWS

Especially adaptable for out-of-door use.

Handles are annealed high tensile aluminum, permitting use in wet weather. Large, coarse teeth, accurately filed and with heavy set. These saws are especially adapted for rough use on docks or in mines.


DOCKING OR MINING SAWS (Malleable Iron Handles)



No. 86

Specially constructed for heavy, rough work in mills, shops, subways, etc. Skew back. Unbreakable malleable iron handle. Teeth filed with extra heavy set.

No.	Length of Blade	Tooth Point	Width at Point	Width at Butt	Weight per Dozen	Packing	Price per Dozen
86	24 inches	4½	2¼ inches	6¼ inches	32 pounds	1/6 dozen	
	30 inches	4½	2¼ inches	6¼ inches	36 pounds	1/6 dozen	



No. 87

[Extra Heavy Duty]

Made extra heavy and rugged for sawing rough timbers in mines, shipyards, railroads and wherever coarse, heavy work is required. Full weight. Excellent temper. Big 1½-point teeth, filed and with extra heavy set. Malleable iron handle.

No.	Length of Blade	Tooth Point	Width at Point	Width at Butt	Weight Each	Packing	Price Each
87	36 inches	1½	2⅝ inches	5¾ inches	4 pounds	Individual	

Packed in individual, heavy corrugated envelope and wire stitched. No further packing required for reshipment.



PENNSYLVANIA SAW CORPORATION

DRY WALL SAWS

FAMOUS "TRIPLE TEST" STEEL

HEAVY DUTY MECHANICS TOOLS

**HARDENED AND TEMPERED
SPRING STEEL BLADES**



No. 21


UTILITY DRY WALL SAW

Ruggedly Constructed, Special Design with Sharp Point for "Chiseling" into Material.

Extra Heavy Gauge, Hardened and Tempered Steel Blade with Bevel Filed Teeth of Special Design to Prevent Clogging. Blade is Anchored into Hardwood Handle with Steel Ferrule to Prevent Splitting.

Blade Length 6", Overall Length 10 $\frac{3}{4}$ "

Packed $\frac{1}{2}$ Dozen. Weight Per Dozen—4 Pounds.



No. 22

SHEETROCK—DRY WALL SAW

Heavy Duty—Extra Large Solid Beech Handle.

Grip of Handle Reinforced with Heavy Wood Dowel. Large, Specially Designed 5-Point Teeth. Rounded Tooth Gullet to Prevent Clogging. Teeth Bevel Filed and Set.

15" Blade—Overall Length 19"

Packed $\frac{1}{2}$ Dozen. Weight Per Dozen 15 Pounds

**No. 295-M
MASONRY WHEEL**



**FULLY REINFORCED
RESINOID—SILICON CARBIDE**

Will Cut Hard and Soft Masonry Materials—Coping, Concrete, Fire Brick, Fiberglass, Etc.

Universal Bushing Fits Most All Electric Power Saw Machines.

Skin Packaged on Cardboard Backing—Made in 6", 6 $\frac{1}{2}$ ", 7" and 8" Diameters

Packed $\frac{1}{2}$ Dozen of One Diameter to Carton


Packed Weight Per Dozen as follows:

6"—4 lbs. 6 $\frac{1}{2}$ "—5 lbs. 7"—6 lbs. 8"—7 $\frac{1}{2}$ lbs.

FAMOUS **TRIPLE TEST** STEEL

One-Man Cross-Cut Saws

No. 500 "COLUMBIA", (Plain Tooth)




No. 500 An excellent saw for general use. Full width blade with large cutting teeth, filed and set. Made of high grade tempered spring steel. Varnished hardwood handle. Nickel plated screws and medallion. Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
2 1/2	5 3/4	2 1/4	16	3	
3	5 3/4	2 1/4	16	3 1/2	
3 1/2	5 3/4	2 1/4	15	4 1/4	
4	5 3/4	2 1/4	15	4 3/4	
4 1/2	5 3/4	2 1/2	14	5 1/2	

Prices include both regular and supplementary handles
(Note: If 2 1/2 foot length saws only are ordered, list price will be each)

No. 400 "COLUMBIA", (Champion Tooth)




No. 400 A fast cutting, two cutter-one raker tooth saw, filed and set. Undoubtedly one of the most popular saws of its kind. Well balanced. Tempered spring steel. Varnished handle. Large hand grip. Nickel plated screws and medallion. Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
2 1/2	5 3/4	2 1/4	16	3	
3	5 3/4	2 1/4	16	3 1/2	
3 1/2	5 3/4	2 1/4	15	4 1/4	
4	5 3/4	2 1/4	15	4 3/4	
4 1/2	5 3/4	2 1/2	14	5 1/2	

Prices include both regular and supplementary handles
(Note: If 2 1/2 foot length saws only are ordered, list price will be each)

No. 300 "COLUMBIA", (Perforated Lance)



No. 300 One of the most popular saws for sawing fibrous woods. Extra size teeth with one raker tooth for every four cutter teeth. Special tempered steel. Teeth filed and set. Large hardwood handle, varnished. Nickel plated screws and medalion. Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
2 1/2	5 3/4	2 1/4	16	3	
3	5 3/4	2 1/4	16	3 1/2	
3 1/2	5 3/4	2 1/4	15	4 1/4	
4	5 3/4	2 1/4	15	4 3/4	
4 1/2	5 3/4	2 1/2	14	5 1/2	

Prices include both regular and supplementary handles
(Note: If 2 1/2 foot length saws only are ordered, list price will be each)


Cross-Cut Saw Handles

No. 7 One-Man Cross Cut saw handle made of finest beech, thoroughly seasoned and kiln dried. Large hand hole and easy grip. Full lacquer finish. Handle is slit for blade but screw holes are not drilled, which permits the handle to be fitted to any make of saw.

No.	Weight per Dozen, Lbs.	Price Per Dozen	Packed
7	6		1 dozen


No. 8 Supplementary Handle for One-Man Cross Cut saw. Select hardwood, smoothly sanded. Extra size. Heavy steel ferrule and malleable iron bolt.

No.	Weight per Dozen, Lbs.	Price Per Dozen	Packed
8	4		1 dozen



TAPER GROUND Cross-Cut Saws

No. 375 "PENN STATE", Crown, (Perforated Lance Tooth)



No. 375 TAPER GROUND. Highly efficient saw especially suitable for cutting damp or long fibrous woods. Highest quality tempered "TRIPLE TEST" steel. Extra long narrow teeth with one raker tooth for every four cutting teeth. Two gauges thinner on back than on tooth edge. Large and convenient handle grip. Polished nickel screws and medallion. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Butt Inches	Width at Point Inches	Gauge Tooth Edge	Gauge, Back at Center	Weight, Each Pounds	Price Each
3	5 ³ / ₄	2 ¹ / ₄	16	18	3 ¹ / ₄	
3 ¹ / ₂	5 ³ / ₄	2 ¹ / ₄	15	17	4	
4	5 ³ / ₄	2 ¹ / ₄	15	17	4 ¹ / ₂	
4 ¹ / ₂	5 ³ / ₄	2 ¹ / ₂	14	16	5 ¹ / ₄	

Prices include both regular and supplementary handles

No. 950 "PENN STATE", Olympic, (Plain Tooth)



No. 950 A saw of genuine merit. TAPER GROUND. Four gauges thinner on back than on tooth edge. Carefully tempered. Made of our famous "TRIPLE TEST" steel. Extra large, sharp teeth, perfectly filed and set. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Gauge, Back at Center	Gauge, Back at Ends	Weight, Each Pounds	Price Each
5	3 ¹ / ₂	5 ³ / ₄	15	19	17	5	
5 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	14	18	16	6	
6	3 ¹ / ₂	5 ³ / ₄	14	18	16	7	
7	3 ¹ / ₂	6 ⁷ / ₈	14	18	16	9	
8	3 ¹ / ₂	6 ⁷ / ₈	14	18	16	10	

Prices do not include handles

No. 960 "PENN STATE", Olympic, (Champion Tooth)



No. 960 A most popular pattern. TAPER GROUND. Four gauges thinner on back than on tooth edge. Outstanding for keen cutting edge and resistance to wear. Teeth are two cutter-one raker type, well filed and set. Made of our famous "TRIPLE TEST" steel. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Gauge, Back at Center	Gauge, Back at Ends	Weight, Each Pounds	Price Each
5	3 ¹ / ₂	5 ³ / ₄	15	19	17	5	
5 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	14	18	16	6	
6	3 ¹ / ₂	5 ³ / ₄	14	18	16	7	
7	3 ¹ / ₂	6 ⁷ / ₈	14	18	16	9	
8	3 ¹ / ₂	6 ⁷ / ₈	14	18	16	10	

Prices do not include handles

No. 970 "PENN STATE", Olympic, (Perforated Lance Tooth)



No. 970 Four cutter and one raker tooth is a popular favorite. A good stiff blade, uniformly hardened. Made of our famous "TRIPLE TEST" steel. Long, well filed and set teeth to withstand hard sawing. TAPER GROUND. Four gauges thinner on back than on tooth edge. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Gauge, Back at Center	Gauge, Back at Ends	Weight, Each Pounds	Price Each
5	3 ¹ / ₂	5 ³ / ₄	15	19	17	5	
5 ¹ / ₂	3 ¹ / ₂	5 ³ / ₄	14	18	16	6	
6	3 ¹ / ₂	5 ³ / ₄	14	18	16	7	
7	3 ¹ / ₂	6 ⁷ / ₈	14	18	16	9	
8	3 ¹ / ₂	6 ⁷ / ₈	14	18	16	10	

Prices do not include handles

Cross-Cut Saws

No. 700 "PEERLESS", (Plain Tooth)




No. 700 A special hardened and tempered blade of the right width and thickness to insure fast and easy sawing. A high grade saw in every respect for general use. Large sharp teeth are accurately filed and set ready for use. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
5	3 1/2	5 3/4	14	5 1/4	
5 1/2	3 1/2	5 3/4	14	6 1/2	
6	3 1/2	5 3/4	14	7 3/4	
7	3 1/2	6 7/8	13	9	
8	3 1/2	6 7/8	13	10	

Prices do not include handles

No. 800 "PEERLESS", (Champion Tooth)



No. 800 One of the most popular all purpose saws. Long sharp teeth, two cutter and one raker type. Well filed and set. An excellent saw for heavy work. Flat ground. Full weight. Excellent temper. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
5	3 1/2	5 3/4	14	5 1/4	
5 1/2	3 1/2	5 3/4	14	6 1/2	
6	3 1/2	5 3/4	14	7 3/4	
7	3 1/2	6 7/8	13	9	
8	3 1/2	6 7/8	13	10	

Prices do not include handles

No. 600 "PEERLESS", (Perforated Lance Tooth)



No. 600 An excellent saw for heavy duty work, especially in connection with damp or fibrous woods. Extra sharp teeth. One raker tooth for every four cutter teeth. Accurately filed and set. Flat ground. Constructed for ease in operation. Full temper. **Packed in individual heavy corrugated envelope and wire stitched. No further packing required for reshipment.**

Length Feet	Width at Ends Inches	Width at Center Inches	Gauge Tooth Edge	Weight, Each Pounds	Price Each
5	3 1/2	5 3/4	14	5 1/4	
5 1/2	3 1/2	5 3/4	14	6 1/2	
6	3 1/2	5 3/4	14	7 3/4	
7	3 1/2	6 7/8	13	9	
8	3 1/2	6 7/8	13	10	

Prices do not include handles

Cross-Cut Saw Handles

No. 64 is 9 1/2 inches long. Made of first quality hardwood. Extra long, electric welded steel loop.

No.	Weight per Pair Lbs.	Price per 1 Dozen Pair	Packed 1/2 Dozen Pair
64	1 1/4		1/2 doz. pr.

No. 65 is 13 inches long. Stocky grip. Well seasoned hardwood. Malleable iron bolt and wing nut.

No.	Weight per Pair Lbs.	Price per 1 Dozen Pair	Packed 1/2 Dozen Pair
65	1 1/4		1/2 doz. pr.

PLAIN TAB FOR CROSS CUT SAW HANDLE




This cross cut saw handle tab is made of full gauge steel, strong and durable. Size 2-inches wide, 3 1/2 inches long. Oiled finish. Three rivet holes. Rivets included with tabs.

No.	Weight per Dozen Pair	Packing	Price per Pair Tab and Rivets
89	7 pounds	1 dozen pair	

Handles Only

FOR USE ON VARIOUS PATTERNS OF HAND SAWS, COMPASS AND NESTS OF SAWS


Note: All handles are slit for receiving the blade. Orders will be accepted for handles both slotted and drilled with screw holes to fit Pennsylvania Saw Corporation saw blades only.



H-269 slotted only
H-269-D slotted and drilled

A general purpose handle made of first quality beech with clear lacquer finish. Well balanced. Slit for blade but not bored for screws. For use with 24-inch and 26-inch blades. Also used on our Yorktowne Brand No. 269.


No.	Weight Per Dozen	Packing	Price Per Dozen
H-269	6 pounds	1 dozen	



H-2 complete with hardware

A good quality beech handle, medium size. Varnish finish. Nickel plated bolt and wing nut. Slit to receive blade. For adjustable compass saws and nests. Also used on our Yorktowne Brand Nos. 130, 100, and 110.


No.	Weight Per Dozen	Packing	Price Per Dozen
H-2	4 pounds	1 dozen	



H-40 slotted only
H-40-D slotted and drilled

Finely finished hardwood handle for mechanic's use. Large size comfortable grip. Slit for blade but not bored. Also used on our No. 40 compass saw.

No.	Weight Per Dozen	Packing	Price Per Dozen
H-40	4 pounds	1 dozen	



A-2-H slotted only
A-2-HD slotted and drilled

Perfectly balanced. Light cherry rubbed finish. Fully carved. Slit but not bored for screws. Used also on our "PENN STATE" brand No. 2-A.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-2-H	7 pounds	1 dozen	



H-2600 slotted only
H-2600-D slotted and drilled

A well designed hardwood handle with mahogany varnish finish. Fully carved. Easy grip. Slit for blade but not bored for screws. For use with 24-inch and 26-inch blades. Also used on our Superior Brand No. 2600.

No.	Weight Per Dozen	Packing	Price Per Dozen
H-2600	6½ pounds	1 dozen	



A-3-H slotted only
A-3-HD slotted and drilled

Standard among mechanics. Mahogany rubbed finish. Fully carved. Slit but not bored for screws. Used also on our "PENN STATE" brand No. A-3.


No.	Weight Per Dozen	Packing	Price Per Dozen
A-3-H	7 pounds	1 dozen	



A-4-H slotted only
A-4-HD slotted and drilled


A well designed, comfortable handle, fully carved. Walnut finish. Slit but not bored for screws. Used on our "PENN STATE" brand No. A-4.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-4-H	7 pounds	1 dozen	



A masterpiece in design. First select hardwood with hand rubbed cherry finish. Large easy finger grip. Fully carved. Slit but not bored for screws. Used also on our "PENN STATE" brand No. A-1.

No.	Weight Per Dozen	Packing	Per Dozen Price
A-1-H	7 pounds	1 dozen	



A-5-H slotted only
A-5-HD slotted and drilled

A comfortable handle made of first quality hardwood with oak finish. Carved on grip. Slit but not bored for screws. Used also on our "PENN STATE" brand No. A-5.

No.	Weight Per Dozen	Packing	Price Per Dozen
A-5-H	7 pounds	1 dozen	

The PENNSLVANIA SAW CORPORATION maintains a coast to coast net work of proficient sales representatives who are available at all times to lend assistance to your merchandising problems.



AVAILABLE SERVICE

Saw exhibits and displays of varying sizes are available for use at house and private shows of our customers. Each exhibit will be accompanied by a properly informed factory representative.

